

# TIRES & SAFETY EQUIPMENT



## DRAGWAY SPECIAL

- Large selection of sizes, compounds and constructions for most applications
- Little break-in required
- Longer lasting to help lower tire expenses
- Superior technology for low E.T. and maximum MPH
- Proven performance over a wide range of track conditions

	SIZE	WEIGHT	COMPOUND	SUGGESTED RIM SIZE	SUGGESTED RIM TYPE	SECTION WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
1408	32.0x16.0-15	39.6	D-5	15	—	18.4	16	32.4	102	\$291.95
1490	34.5x17.0-16	43.5	D-1	16	Beadlock	21	17	34.8	109	\$426.95
1672	32.0x14.5-15	39.4	D-5	14	—	17.7	14.8	32.8	103	\$291.95
1911	32.0x14.5-15	34.1	D-1	14	—	17.7	15	32.2	101	\$289.95
1984	32.0x14.0-15	39.3	D-5	14	—	17	14.4	32.4	101	\$289.95
2009	30.0x10.5-15	27.6	D-5	10	—	13	10.2	30	96.5	\$225.95
2018	31.0x13.0-15	33.4	D-5	12	—	15.6	12.8	30.6	96	\$275.95
2019	31.0x14.0-15	35.8	D-5	12	—	16.2	14	31	97	\$275.95
2052	33.0x16.0-15	38	D-6	15	—	19.6	16.1	32.8	102	\$299.95
2078	33.0x15.0-15	40.6	D-5	14	—	17.5	15	33.2	104	\$295.95
2556	33.0x17.0-15	41	D-6	15	—	20.5	17.3	32.8	102	\$339.95
1961	23.0x5.0-15	12.2	Frontrunner	4	—	6.8	5	23	72.7	\$159.95
1962	24.0x5.0-15	11.3	Frontrunner	4	—	6.8	5	24	75.8	\$152.95
2991	25.0x4.5-15	11.6	Frontrunner	4	—	6.5	4.5	25	78.5	\$149.95
1966	28.0x4.5-15	12.4	Frontrunner	4	—	7.7	5.1	28	89.1	\$149.95
1445	22.0x2.5-17	4.5	Frontrunner	2.5	—	2.5	1.5	22	69.9	\$135.95



## DRIVE TIRES - SLICKS

### TREAD PATTERN A

	SIZE	TIRE HEIGHT	COMPOUND	SUGGESTED RIM SIZE	MEASURING RIM	SECTION WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
18120	26.0/9.0-15	18	D06	7-8"	8"	10.3"	9.0"	26.1"	82.0"	\$167.95
18140	28.0/9.0-15	21	D06	8-10"	8"	11.1"	9.0"	28.0"	88.0"	\$171.95
18150	28.0/10.0-15	22	D06	8-10"	8"	11.7"	10.0"	28.0"	88.0"	\$175.95
18153	28.0/10.0-16	23	C07	8-10"	10"	12.0"	10.0"	28.0"	88.0"	\$191.95
18155	28.0/10.5-15	24	C07	8-10"	8"	12.0"	10.2"	28.0"	88.0"	\$191.95
18160	29.0/9.0-15	22	D06	8-10"	8"	11.4"	9.0"	29.1"	91.5"	\$179.95
18170	29.0/10.0-15	24	D06	8-10"	8"	11.9"	10.0"	29.1"	91.5"	\$183.95
18175	29.0/10.5-15 W	25	D06	8-10"	10"	13.2"	11.0"	29.3"	92.0"	\$201.95
18180	29.0/11.0-15	25	D06	8-10"	10"	13.2"	11.0"	29.3"	92.0"	\$196.95
18190	29.0/12.0-15	26	D06	10-12"	10"	13.7"	12.0"	29.3"	92.0"	\$203.95
18192	29.5/10.5-15	26	D06	10-12"	10"	13.2"	11.1"	30.6"	96.0"	\$197.95
18195	29.5/11.5-15 W	30	D06	12-14"	12"	15.2"	13.5"	30.6"	96.0"	\$206.95
18200	30.0/9.0-15	22	D05, D07	8-10"	8"	11.8"	9.0"	30.0"	94.0"	\$212.95
18205	30.0/10.5-15	22	D05	8-10"	10"	13.1"	10.5"	30.0"	94.0"	\$219.95
18209	30.0/9.0R-15 Radial	22	C06	8-10"	8"	11.3"	9.0"	29.5"	92.5"	\$224.95
18210	30.0/9.0R-15 Radial	24	C07	8-10"	8"	11.3"	9.0"	29.5"	92.5"	\$224.95
18211	9.0/30.0R-15 Radial	24	C07	8-10"	8"	11.3"	9.0"	29.9"	94.0"	\$226.95
18212	9.0/30.0R-15 Radial	22	C06	8-10"	8"	11.3"	9.0"	29.9"	94.0"	\$226.95
18214	30.0/10.5R-15 Radial	23	C06	9-10"	10"	12.5"	10.5"	29.5"	92.5"	\$238.95
18215	30.0/10.5-15 Radial	26	C07	9-10"	10"	12.5"	10.5"	29.5"	92.5"	\$238.95
18221	31.0/10.5-15	30	C07	10-12"	12"	14.7"	11.0"	30.8"	97.0"	\$248.95
18235	31.5/12.5-15 W	33	D05	12-14"	14"	17.2"	13.5"	31.7"	99.5"	\$265.95

# TIRES & SAFETY EQUIPMENT



## TREAD PATTERN A CONTINUED

	SIZE	TIRE HEIGHT	COMPOUND	SUGGESTED RIM SIZE	MEASURING RIM	SECTION WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
18237	13.5/31.5-15 L	28	C07	12-14"	14"	17.2"	13.5"	31.7"	99.5"	\$264.95
18239	31.5/13.5R-15 Radial	28	C06	14-15"	14"	16.9"	13.5"	31.8"	99.7"	\$307.95
18240	31.0/14.0-15	33	D05	12-14"	12"	16.5"	14.0"	31.2"	98.0"	\$272.95
18242	32.0/12.0-15	28	D05	10-12"	12"	15.8"	12.2"	32.0"	101.0"	\$273.95
18243	32.0/13.0-15	29	D05	12-13"	12"	16.5"	13.2"	32.0"	101.0"	\$275.95
18245	32.0/13.5-15 W	35	D05	12-14"	14"	17.7"	14.0"	32.3"	102.0"	\$284.95
18247	32.0/13.5R-15 Radial	31	C06	14-15"	14"	17.0"	13.5"	32.2"	101.2"	\$314.95
18250	32.0/14.0-15	34	D05	12-14"	14"	17.7"	14.0"	32.3"	102.0"	\$283.95
18255	14.0/32.0-15 L	31	C07	12-14"	14"	17.8"	14.0"	32.3"	102.0"	\$284.95
18260	32.0/14.5-15 W	37	D05	14-15"	14"	18.4"	15.0"	32.6"	102.5"	\$287.95
18265	14.5/32.0-15 L	32	C07	14-15"	14"	18.4"	15.0"	32.3"	102.0"	\$287.95
18300	32.5/16.5-15	38	C07	15-16"	15"	19.8"	16.7"	32.3"	101.5"	\$305.95
18361	33.0/14.5R-15 Radial	35	C06	14-16"	14"	18.4"	15.0"	33.0"	104.0"	\$330.95
18367	14.5/33.0-15 L	34	C07	14-15"	14"	18.2"	14.5"	33.0"	104.0"	\$291.95
18370	33.0/15.0-15	36	D05	14-15"	14"	18.7"	15.0"	33.0"	104.0"	\$294.95
18400	33.0/16.0-15	38	D05, D06, C07	15-16"	15"	19.8"	17.0"	33.0"	104.0"	\$302.95
18450	33.0/16.5-15 S	38	D06, C07	15-16"	15"	19.8"	17.0"	33.0"	104.0"	\$302.95
18500	33.0/17.0-16	39	C07	15-16"	15"	19.8"	17.0"	33.0"	104.0"	\$326.95
18600	33.5/16.0-15	39	C07	15-16"	15"	19.8"	17.0"	33.6"	106.0"	\$336.95
18640	33.5/16.5-16 S	39	C07	15-16"	16"	19.9"	17.0"	33.6"	106.0"	\$336.95
18650	33.5/17.0-16	39	C07	15-16"	16"	19.9"	17.0"	33.6"	106.0"	\$336.95
18700	33.5/17.0-16	40	C06	15-16"	16"	20.7"	17.0"	33.6"	106.0"	\$368.95
18790	34.5/17.0-16	42	C2055	15-16"	16"	21.4"	17.0"	35.0"	110.0"	\$398.95
18800	34.5/17.0-16	42	C4000	15-16"	16"	21.4"	17.0"	35.0"	110.0"	\$398.95

## DOT DRAG RADIAL

### TREAD PATTERN M

	SIZE	TIRE HEIGHT	COMPOUND	SUGGESTED RIM SIZE	MEASURING RIM	SECTION WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
17310	P225/50R15	18	-	7-9"	7"	9.3"	8.5"	24.2"	76.0"	\$183.95
17315	P275/50R15	22	-	8-10"	9"	10.8"	9.5"	25.7"	80.5"	\$187.95
17316	P295/65R15	27	-	8-10"	9"	12.0"	10.0"	29.5"	93.5"	\$192.95
17317	P275/60R15	24	-	8-10"	8"	11.5"	10.0"	28.0"	88.0"	\$193.95
17318	P325/50R15	29	-	9-11"	10"	13.0"	11.75"	28.0"	88.0"	\$195.95
17319	P315/60R15	30	-	9-11"	10"	13.5"	11.0"	29.7"	93.5"	\$195.95
17320	P225/50R16	18	-	7-9"	7"	9.5"	8.5"	24.9"	78.3"	\$193.95
17325	P255/50R16	22	-	8-10"	8"	10.5"	9.25"	26.4"	83.0"	\$198.95
17330	P275/40R17	21	-	9-11"	10"	11.3"	9.8"	25.7"	81.0"	\$204.95
17332	P315/35R17	26	-	9-11"	11"	12.6"	11.1"	25.6"	81.6"	\$205.95
17335	P335/35R17	27	-	11-13"	12"	13.5"	12.5"	25.4"	82.0"	\$210.95

## DRAG FRONT RACING TIRES

### TREAD PATTERN S

	SIZE	TIRE HEIGHT	COMPOUND	SUGGESTED RIM SIZE	MEASURING RIM	SECTION WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
18085	23.0/5.0-15	10	Drag Front	3.5-4"	3.5"	5.8"	4.8"	23.0"	72.0"	\$141.95
18095	24.0/5.0-15	11	Drag Front	3.5-4"	3.5"	5.8"	4.8"	23.8"	75.0"	\$142.95
18102	25.0/5.0-15	11	Drag Front	3.5-4"	3.5"	5.8"	4.8"	24.8"	77.9"	\$145.95
18105	26.0/4.5-15	11	Drag Front	3.5-4"	3.5"	5.9"	4.3"	25.8"	81.0"	\$147.95
18107	28.0/4.5-15	12	Drag Front	3.5-4"	4"	7.6"	4.5"	27.7"	87.0"	\$149.95
18108	22.0/2.5-17	4	Dragster Front	2.5"	2.5"	2.7"	1.5"	22.0"	69.0"	\$137.95

# TIRES & SAFETY EQUIPMENT



## ET DRAG TIRES

Real world research and development give M/T® slicks the edge over competitive brands. Engineered for maximum traction and consistent ET's with superior construction and compounding for nearly every drag race application.

	SIZE	WEIGHT	COMPOUND	TUBE PART NUMBER	MEASURING RIM	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
3010	22.0/8.0-13	14	L8	—	7	9.2	7.9	22.4	70	\$175.95
3014	24.5/8.0-13	16	L8	9553	7	10.5	7.7	24.5	77	\$191.95
3016	24.5/9.0-13	16	L8	9553	7	10.9	8.8	24.5	77	\$199.95
3020	26.0/8.5-14	18	L8	9553	8	10.2	8.2	26	82	\$201.95
3019	22.0/8.0-15	14	L8	—	7	8.6	7.9	22.4	70	\$186.95
3015	24.5/8.0-15	17	L8	9553	8	9.6	7.7	24.5	77	\$194.95
3053	26.0/10.0-15	22	L8	9553	10	11.6	9.6	26	82	\$180.95
3053S	26.0/10.0-15S	24	M5	9553	10	11.5	9.8	26.5	83	\$189.95
3052	26.0/8.5-15	19	L8	9553	8	9.9	8.1	25.9	82	\$173.95
3055	28.0/10.5-15	23	M5	9553	10	11.7	10	28.1	88	\$189.95
3055C	28.0/10.5-15C	23	L4	9553	10	12	10	28.1	88	\$199.95
3055S	28.0/10.5-15S	24	M5	9553	10	11.7	10	28.1	88	\$200.95
3055W	28.0/10.5-15W	26	M5	9555	10	13.1	10.9	28.1	88	\$225.95
3057	28.0/11.5-15	26	M5	9555	10	12.9	11	28	88	\$225.95
3054	28.0/9.0-15	22	L8	9553	8	10.8	8.6	27.3	86	\$180.95
3062	29.5/10.5-15	25	M5	9555	10	13.1	10.2	29.9	94	\$213.95
3062S	29.5/10.5-15S	27	M5	9555	10	13.2	10.2	29.9	94	\$229.95
3062W	29.5/10.5-15W	30	M5	9555	10	13.6	11.2	29.6	93	\$229.95
3064	29.5/11.5-15	27	M5	9555	10	13.6	11.1	29.9	94	\$222.95
3065	29.5/13.5-15	29	M5	9555	12	16	13.1	30.2	95	\$248.95
3056	29.5/9.0-15	22	L8	9553	8	11.4	8.9	29.3	92	\$210.95
3056ST	29.5/9.0-15ST	22	M5	9553	8	11.4	8.9	29.3	92	\$210.95
3056R	29.5/9.0R15 RADIAL	23	R1	Tubeless	10	11.5	8.5	29.5	92	\$257.95
3072	31.0/13.0-15	32	M5	9558	12	15.7	13	31	98	\$270.95
3073W	31.25/12.2-15W	29	L8	9558	12	15.8	13.2	31.5	98	\$283.95
3073R	31.25/12.2R15W	30	R1	Tubeless	14	16.3	13.5	31.9	100	\$350.95
3074	32.0/14.0-15	33	L8	9558	14	17.2	14.2	31.8	100	\$293.95
3074S	32.0/14.0-15S	35	L8	9558	14	17.1	14.2	32.2	100	\$311.95
3074R	32.0/14.0R15 RADIAL	32	R1	Tubeless	14	17.4	14	32.3	101.75	\$360.95
3069W	33.0/10.5-15W	33	M5	9558	10	14.5	11.2	32.9	103	\$284.95
3078	33.0/14.5-15	36	L8	9558	14	17.4	14.5	33	103	\$315.95
3078R	33.0/14.5R15	35	R1	Tubeless	14	17.6	14.5	33	103.75	\$370.95
3084	33.0/16.5-15	39	L4	9558	15	20	16.7	33.5	105	\$328.95
3084S	33.0/16.5-15S	41	L8	9558	15	20	16.7	33.5	105	\$348.95
3169W	33.0/10.5-16W	34	M5	9558	15	16.8	11.3	33	104	\$284.95
3185	33.5/16.5-16	42	M5	9558	16	20.8	16.5	33.7	106	\$335.95
3186	34.5/17.0-16	45	M5	—	16	21	17	35	110	\$411.95
3187	34.5/17.0-16	45	M7	—	16	21	17	35	110	\$411.95

Have a Question?  
Give Us a Call @ 800.626.1828

# TIRES & SAFETY EQUIPMENT



## ET FRONTS

Complete line of front tires with applications for cars, dragsters, and land speed racers. Compliments our ET Drag® drive tires for a complete race tire package.

	SIZE	WEIGHT	COMPOUND	TUBE PART NUMBER	MEASURING RIM	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
3005	22.5/4.5-15	7	—	—	4	5.1	4.1	22.5	71	\$141.95
3006	24.0/4.5-15	11	—	—	4	6.4	4.8	23.8	75	\$145.95
3007	26.0/4.5-15	12	—	—	4	6.8	4.9	25.9	81	\$153.95
3009	27.5/4.5-15	13	—	—	4	7	5	27.3	86	\$155.95
3002	28.0/4.5-15	13	—	—	4	7.2	5.1	28	88	\$163.95
3008	29.0/4.5-15	12	—	—	4	7.3	4.5	28.7	90	\$156.95
3004	22.0/2.5-17	4	—	—	2.5	2.7	1.5	22	67	\$156.95

## ET STREET TIRES

Same great features as our race winning ET Drag with a D.O.T. stamp that meets the rulebook specifications for street tire classes. Tube type for extra sidewall strength, better air retention, and more consistent ET's.

	SIZE	WEIGHT	COMPOUND	TUBE PART NUMBER	MEASURING RIM	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
3752	26X10.50-15LT	20	M5	9553	8	10.5	8.3	26.1	82	\$186.95
3753	26X11.50-15LT	22	M5	9553	10	12	9.8	26.3	82	\$193.95
3758	27X10.50-15LT	22	M5	9553	8	10.6	8.9	27	85	\$186.95
3754	28X11.50-15LT	22	M5	9553	8	11.1	8.6	27.6	87	\$197.95
3755	28X12.50-15LT	24	M5	9555	10	12.6	10	28.1	88	\$203.95
3757	28X13.50-15LT	28	M5	9555	10	13.2	11	28	88	\$223.95
3762	30X12.50-15LT	26	M5	9555	10	13.3	10.2	30	94	\$218.95
3763	30X13.50-15LT	31	M5	9555	10	13.7	11.1	30	94	\$244.95
3768	31X14.50-15LT	33	M5	9555	10	14.5	10.8	31.3	99	\$270.95
3772	31X16.50-15LT	34	M5	9558	12	15.5	12.4	31.5	99	\$271.95
3774	32X17.50-15LT	37	M5	9558	14	17.7	14.2	32.2	101	\$297.95
3780	33X18.50-15LT	43	M5	9558	14	18.8	15.8	33.3	104	\$362.95
3792	26X10.50-16LT	22	M5	9553	9	10.3	8.4	26	82	\$201.95
3793	26X11.50-16LT	24	M5	9553	10	10.8	9.7	26.2	82	\$209.95
3796	28X11.50-16LT	24	M5	9555	8	10.7	8.7	28	88	\$194.95
3743	26X11.50-17LT	23	M5	Tubeless	11	11.1	9.5	26.5	83	\$208.95

## ET STREET RADIAL

Mickey Thompson's legendary race tire technology comes to the street with the ET Street Radial. Built using the latest in high tech radial construction techniques and years of drag racing experience and compound development, this D.O.T. approved street legal drag radial will get your car down the track in record time and drive you home with sure handling and an excellent ride.

	SIZE	SIZE EQUIVALENT	WEIGHT	COMPOUND	APPROVED RIMS	MEASURING RIMS	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
3752R	P235/60R15	26 X 9.50R15	27	R2	6.5-8.5	7	9.5	8.4	26.1	82	\$185.95
3753R	P275/50R15	26 X 11.50R15	31	R2	7.5-9.5	8.5	11.3	10.5	26.1	82	\$186.95
3756R	P255/60R15	27 X 10.50R15	30	R2	7.0-9.0	7.5	10.1	9	27.1	85	\$184.95
3754R	P275/60R15	28 X 11.50R15	33	R2	7.5-9.5	8	11	9.5	28	87	\$196.95
3757R	P325/50R15	28 X 13.50R15	37	R2	9.0-12.0	10	13.1	11.6	28	87	\$215.95
3762R	P295/65R15	30 X 12.50R15	38	R2	8.0-10.0	8.5	11.9	10.9	30	94	\$213.95
3763R	P315/60R15	30 X 13.50R15	39	R2	8.5-11.0	9.5	12.9	11.9	30	94	\$213.95
3793R	P255/50R16	26 X 10.50R16	29	R2	7.0-9.0	8	10.5	9.6	26.1	82	\$200.95
3743R	P275/40R17	26 X 11.50R17	28	R2	9.0-11.0	9	11	10	26	82	\$214.95

# TIRES & SAFETY EQUIPMENT



## DRAG TIRES – REAR

	SIZE	WEIGHT	COMPOUND	TUBE SIZE	MEASURING RIMS	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
PH377	9.00/28.5-15	25.0	F9	D4519	8	12.5	8.9	28.6	90	\$196.95
PH336	9.00/30.0-15	25.5	F9	D4519	10	13.0	9.0	30.0	94	\$182.95
PH395	9.00/30.0-15	25.5	F14	D4519	10	13.0	9.0	30.0	94	\$182.95
PH380	10.5/28.5-15	26.0	F9	D5025	10	13.0	10.6	28.6	90	\$205.95
PH374	10.5/29.5-15	28.5	F9	D5025	10	13.0	10.8	30.2	95	\$191.95
PH360	11.5/28.5-15	25.0	F9	D5025	10	14.0	11.9	28.6	90	\$215.95
PH362	11.5/29.5-15	31.0	F9	D5025	10	14.0	11.8	30.4	95	\$231.95
PH376	11.5/29.5-15W	32.5	F9	D5025	12	15.5	13.5	30.4	95	\$219.95
PH379	13.0/31.0-15	32.5	F9	D5025	12	15.0	12.4	30.6	96	\$255.95
PH343	14.0/32.0-15	32.0	F31	D6028	14	18.0	14.2	32.5	102	\$266.95
PH335	14.0/32.0-15	34.0	F9	D6028	14	17.7	14.2	32.5	102	\$266.95
PH338	14.5/32.0-15	37.0	F9	D6028	14	18.2	14.4	33.1	103	\$274.95
PH353	15.0/33.5-15	40.5	F31	D6028	14	18.0	15.6	32.5	102	\$279.95

## DRAG TIRES – FRONT

	SIZE	WEIGHT	COMPOUND	TUBE SIZE	MEASURING RIMS	SIDEWALL WIDTH	TREAD WIDTH	OVERALL DIAMETER	CIRCUMFERENCE	
PH426	4.0/22.5-15	8.5	DE	Tubeless	4	5.5	4.1	22.6	71	\$135.95
PH183	4.5/24.5-15	13	DE	Tubeless	4	6.5	5.2	25.5	80	\$141.95
PH180	4.5/26.0-15	14	DE	Tubeless	4	7.0	5.2	26.7	84	\$142.95

## Tire Pressure Gauge



### PRO SERIES TIRE PRESSURE GAUGE



- Major increments at 3 psi with minor increments at 0.1 psi
- Premium high-quality instruments with brass internals and Bourdon Tube Pressure Element provide full-range accuracy to within 1/2%.
- Extra-large 4" diameter face and knife-edge pointer eliminate human error.
- Adjustable pointer can be calibrated at the race track.
- Fiberglass-reinforced thermoplastic housing withstands harsh racing environments.
- Long 16" hose with pressure release valve and hardened steel swivel chuck is perfect for getting into deep-dish wheels.

89552 With Rubber Cover and Hard Case, 2.5" 0-15 lbs. \$128.95

### TIRE PRESSURE GAUGE

- Individually calibrated for accuracy within 2%.
- The large 2-5/8" dia. dial face is easy to read, while the hardened swivel chuck rotates 360° for positive valve stem attachment.
- 15-1/2" hose with a finger operated air-bleed valve allows you to release pressure quickly.



89550 2.5" 0-15 lbs. \$41.95  
89560 2.5" 0-60 lbs. \$38.95

### LIGHTED TIRE PRESSURE GAUGE

- A momentary switch, built into the side of the gauge, activates the light when pressed.
- Includes standard-size 9v battery, which is easy to change and provides long-life power source.



89582 Lighted Gauge with Hard Case, 2.5" 0-15 lbs. \$125.95

### TIRE PRESSURE GAUGE COVER

89590 Pants \$5.25



## Wheel Studs & Kits



### WHEEL STUDS & KITS



#### STUDS – 7/16"

46150 20x2-7/8" Press-in, .480 Knurl \$12.95  
46160 20x2-7/8" Press-in, .560 Knurl \$12.95

#### STUDS – 1/2"

46180 20x3" Press-in, .615 Knurl \$12.95  
46190 20x3" Press-in, .680 Knurl \$12.95  
46220 20x3" Press-in, .563 Knurl, Quick Start Ends \$15.95  
46200 20x3" Screw-in for after market axles \$16.95

#### STUDS – 5/8"

46240 18x3" Press-in, .672 Knurl, Quick Start Ends \$23.95

#### STUDS – 5/8" KIT

46140 18x4-13/32" Screw-in w/large shank, kit w/5 pieces \$48.95



### WHEEL STUD KIT

#### STUDS – 5/8" KIT

A-1027 18x3" kit w/Nuts, Washers, Sleeves \$79.95

## Driving Suit

# R.J.S.

### 2-Piece Proban Driving Suit

Our Single layer, flame retardant Proban driving suits are constructed with Proban/FR-7A material, now with longer lasting life expectancy and sewn with high quality Nomex thread, cuffs and zippers.

Single Layer – SFI3-2A/1

-Black, -3 Blue, -4 Red. Specify size.



JACKET		
1004-1	Jacket	\$49.95

PANTS		
1004-2	Pants	\$49.95

Connect with your racing friends and family!

BTE / MPM @ Facebook

Facebook is a social networking site that allows you to upload photos and videos, message your friends, or discuss interests on a number of topic specific pages.

# R.J.S.

## Gloves

### DOUBLE LAYER NOMEX GLOVES



**R.J.S.**

SFI 3.3/5 -Black, -3 Blue, -4 Red.  
Specify size.

20212 \$59.95

### SINGLE LAYER NOMEX GLOVES



**R.J.S.**

SFI 3.3/1 -Black, -3 Blue, -4 Red.  
Specify size.

20213 \$45.95

## Neck Braces

### DONUT SHAPED NECK BRACE



**R.J.S.**

SFI 3.3 -Black, -3 Blue, -4 Red.  
Specify color.

20216-1 \$29.95

## Seat Belts

### SEAT BELTS



**R.J.S.**


Available in: -Black, -3 Blue, -4 Red, -5 Orange,  
-7 Gray, -8 Purple and -9 Green.  
Specify color.

### 3" LAP, 3" S.H., 2" SINGLE SUB BELT

50502-16-06	Roll Bar	\$69.95
50502-17-06	Floor Mount	\$69.95
50502-19-06	Wrap Around	\$69.95

## Window / Cage Nets

### WINDOW NETS



**R.J.S.**

SFI 27.1 -Black, -3 Blue, -4 Red.  
Specify color.

### RIBBON OBLONG

50523	Ribbon Oblong (Angled) 18x23x32	\$30.95
90906-2	Inst. Kit for 50523	\$29.95

### RIBBON RECTANGULAR

50525	Ribbon Rectangular 18x24	\$24.95
90906	Inst. Kit for 50525	\$29.95

### RIBBON SQUARE

1000	Ribbon Square 24x24	\$31.91
90906	Inst. Kit for 1000	\$29.95

### DRAG NET

999	Drag Net for Roll Cage	\$29.95
90906	Inst. Kit for 999	\$29.95